



DOT

Metal Panel

DOT are sound-absorbing panels designed to reduce annoying echo and reverberation from internal surroundings. They can be **ceiling** or **wall** applied. **DOT** want to integrate both **aesthetic** and acoustic requirements; the customer can choose the **size**, **quantity** and **color**, starting from the minimum area necessary for the acoustic correction.



MARVINACUSTICA


Less noise, **better life.**



DOT ceiling mounted.



DOT wall mounted.



Inner material polyester fibre.

UTILIZATIONS

The **DOT** absorbers are the ideal product to correct the problems of reverberation. Adaptable to any building type: restaurants, pizzerias, bars, offices, meeting rooms, lobby, listening rooms, music rooms, professional offices, waiting rooms, etc. The **DOT** sound-absorbing panels have been tested in our laboratory. We can supply test reports on request.



Description technique

TECHNICAL CHARACTERISTICS

- › The outer side is made of light structure in micro-perforated aluminum sheet.
- › The inner side is made of sound-absorbing and fire-resistant polyester.
- › The standard overall thickness is 50 mm.
- › Easily washable, and thanks to the powder coating is guaranteed the resistance to abrasion and corrosion.
- › The panels are applied at a distance of 30 mm from the ceiling / wall by the included fixing system.
- › Possible do-it-yourself assembly.
- › 100% sound absorption surface.
- › They are easily washable and thanks to the powder coating, resistance to abrasion and resistance to abrasion and corrosion.



MARVINACUSTICA

Less noise, **better life.**

MARVINACUSTICA S.r.l.

Via Lago di Tovel, 10

36015 Schio (VI) Italy

T +39 0445 575669

info@marvinacustica.it

www.marvinacustica.it